**A4 Digital Colour Laser Printer** 



# RICOH P C301W M C250FW



## **Vibrant Business Colour**

Adding impact to your everyday print communications, putting vibrant and productive colour printing within easy and affordable reach.

### **Class-leading Functionality**

Perfect for small offices with demanding print requirements, RICOH P C301W and M C250FW help to save space without compromising on quality or performance. To keep pace with demand, vibrant colour and black-and-white output is delivered at up to 25 pages per minute. And, with Near Field Communication (NFC) which makes connection as easy as tap and go, brilliant everyday colour is now within everyone's reach.





### **Productive Time-saving Features**

To simplify your print environment, Ricoh offers single and multi-function versions of the same advanced print engine. RICOH M C250FW is a compact fax-enabled 4-in-1 MFP. Its large colour touchscreen simplifies operation and to ensure time saving, the standard Single Pass Document Feeder (SPDF) quickly scans double-sided originals in a single pass. The addition of an optional second paper tray expands capacity and provides flexibility to enable different sizes and types of paper stocks to be ready for use.

## **Easy Installation and Support**

Easy to install, RICOH P C301W and M C250FW will work seamlessly in any virtual environment. Windows, Mac and even Linux are supported to improve access and users can connect using AirPrint, Mopria and Google Cloud Print. With Wi-Fi Direct and Near Field Communication (NFC) built in, it has never been easier to join a network. Furthermore, with their high yield cartridges, these reliable desktop devices offer best-in-class total costs of ownership.





### Security in our DNA

Recognising modern business security challenges, RICOH P C301W and M C250FW ensures business information remains secure with robust security layers in place. Manage your confidential documents with the Locked Print function and only release when authentication is done at the device.

#### RICOH P C301W / M C250FW

MAIN SPECIFICATIONS

MODEL	RICOH P C301W	RICOH M C250FW	
	RICOH P C301W	RICOH M C250FW	
GENERAL	Drive	Comp Drint Cong For	
function (s)	Print	Copy, Print, Scan, Fax	
Operation panel	4-Line LCD	4.3" Touchscreen Operation Panel	
Varm-up time	20 seconds		
irst output speed : B/W	9.4 seconds		
irst output speed : Full Colour	9.8 seconds		
Continuous output speed	25 ppm		
Memory	256MB		
PDF capacity	50 sh	neets	
Veight [Mainframe]	25kg or less	30kg or less	
Dimensions W x D x H	400 x 450 x 334 mm	420 x 493 x 473 mm	
Power source	220 - 240V, 50/60Hz		
COPIER			
Multiple copying	-	Up to 99 copies	
Resolution	_	600 dpi	
coom		From 25% to 400% in 1% steps	
PRINTER		110 iii 2570 to 40070 iii 170 steps	
PRINTER PU	350MHz	400MHz	
Printer language	PCL5c, PCL6, PostScript3 (Emulation)		
Print resolution	600 x 600 dpi (2,400 x 600 dpi equivalent)		
Network interface	Standard: USB2.0, 10Base-T/100Base-TX, IEEE802.11a/b/g/n/ac (Wireless LAN, 2.4GHz / 5GHz)		
Mobile printing capability	RICOH SmartDevice Connector, Apple AirPrint™, Gppgle Cloud Print, Mopria, NFC		
Vindow® environments	Window® 7/8.1/10. Window® Server 2008/2008 R2/2012 R2/2016/2019		
Mac OS environments	MAC OS 10.10 - 10.14 - PostScript 3 only		
Other supported environment	Lir	Linux	
CANNER			
canning speed	-	B/W: 10ipm	
	_	Cplour: 6ipm	
Resolution		75 - 19,200 dpi (optical resolution maximum 1,200 dpi)	
Compression method	•	TIFF (MH/MR/MMR), JPEG (Greyscale), PDF	
ile formats	-	Single Page TIFF, Multi Page TIFF, Single Page JPEG (Greyscale), Single Page PDF, Multi Page PDF	
can modes		Email, Folder, Network TWAIN, USB	
ACSIMILE	·	<u></u>	
Circuit	-	PSTN, PB	
ranmission speed	-	3 seconds	
Modem speed	_	33.6 Kbps - 2,400bps with Auto Fallback	
Pesolution : Standard	_	8 x 3.85 lone/mm, 200 x 100 dpi	
Pesolution : detail, photo			
· · · · · · · · · · · · · · · · · · ·	-	8 x 3.85 lone/mm, 200 x 100 dpi	
Compression method	-	MH, MR, MMR, JBIG	
Memory	-	2.5MB	
SECURITY			
eatures	User Code Authentication	on, Wireless LAN Security	
APER HANDLING			
Recommended paper size	A4, B5, A5, B6, A6, Legal, HLT, Executive, Foolscap, Folio, 16K, Com10, Monarch, C5 Env, C6 Env, DL Env		
aper input capacity	Standard: 250 sheets (excluding bypass 1 sheet) Maximum: 751 sheets (including bypass 1 sheet)		
aper output capacity	150 sheets		
Paper weight	Standard Tray: 60 - 163g/m², Bypass: 60 - 163g/m², Duplex: 60 - 90g/m²		
	Plain paper 1/2, Recycled paper, Middle thick paper, Thick paper 1/2, Thin paper,		
Paper types		hed Paper, Labels, Bond, Cardstock, Envelope	
COLOGY			
ower consumption : Maximum	1,300W		
Power consumption : Ready mode	32.8W		
Power consumption : Sleep mode	0.66W		
	0.40 kWh	0.35 kWh	
EC value			
EC value DUTPUT TRAY OPTION			
	Paper size: A4, Letter, Pa	per weight: 60 - 105g/m²	
OUTPUT TRAY OPTION	Paper size: A4, Letter, Pa	per weight: 60 - 105g/m²	
OUTPUT TRAY OPTION  x 500-sheet paper tray (TK1220) CONSUMABLES	Black: 1,0	000 pages	
OUTPUT TRAY OPTION x 500-sheet paper tray (TK1220)	Black: 1,0 Colour: 9		



13 RICOH ricoh.com.au











